

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-58 (canceled)

59. (currently amended): In a reminder device, the device comprising:

- a. a cylindrical container having an exterior side surface;
 - b. a deformable selectively interengageable sheet mounted mountable as a continuous loop member around said exterior side surface of said container, said ~~mounted~~ loop member rotatable to each of a plurality of ~~selected~~ selectable positions;
 - c. a deformable sheet label member influencing movement of said loop member, said label member defining a structural area supportably engageable with said loop member and said label member defining a plurality of selectively interengageable structural portions adapted to selectively interengage said loop member;
 - d. one of said selectively interengaged portions disallowing rotation of said loop member from a first one of said selectable positions to a second one of said selectable positions.
60. (currently amended): A device as in claim 59 wherein said loop member ~~defines a structural area for engagement~~ is included in a first portion and said label member is included in a second portion of a common deformable sheet.
61. (currently amended): A device as in claim 59 and further comprising a ~~band support member~~ détente.
62. (currently amended): A device as in claim 59 and further ~~comprising a band support member, said band support member having means for attachment~~ including means for attaching said label member to said container.
63. (currently amended): A device as in claim 59 ~~and further comprising a band support member, said band support member defining a structural area adapted to receive engagement therewith said loop member~~ 60 wherein said loop member portion is releasable from said common sheet.

Appl. No. 10/050,520

Amdt. dated Sept. 30, 2004

Reply to Office Action of Sept. 17, 2004

64. (previously presented): A device as in claim 59 and further including co-operating indicia.
65. (currently amended): A device as in claim 59 ~~and further including 64 wherein said co-~~
operating indicia ~~which~~ include an arrangement of times co-operating with a pointer adapted
to point to any one of said times.
66. (currently amended): A device as in claim 59 ~~wherein indicia may be further inscribed 64~~
wherein said indicia can further be customized.
67. (currently amended): A device as in claim 59 ~~further comprising a band support member~~
~~adhesively attached to said container and further including an adhesive.~~
68. (currently amended): A device as in claim 59 ~~wherein claim 67 wherein said loop member~~
~~includes an adhesive is pressure sensitive.~~
69. (currently amended): A device as in claim 59 ~~wherein said loop member further has~~
~~gripping means to aid grasping said loop for displacement wherein said container is a~~
pharmacy container.
70. (currently amended): A device as in claim 59 ~~and further comprising a band support~~
~~member, said band support member having anti-displacement means for limiting~~
~~displacement of said loop member wherein said label is a pharmacy label.~~
71. (previously presented): A device as in claim 59 and further including a prescription label.
72. (currently amended): In a reminder device, the device comprising:
- a cylindrical container having an exterior side surface;
 - a deformable selectively interengageable sheet, said sheet adapted to adhesively forming
form a continuous loop member;
 - said continuous loop member ~~retained~~ retainable on said container and said continuous loop
member movable to each of a plurality of selected selectable positions;
 - a deformable sheet label member influencing movement of said loop member, said label
member defining a structural area supportably engageable with said loop member and said
label member defining a plurality of selectively interengageable structural portions adapted
to selectively interengage said loop member;
 - one of said selectively interengaged portions disallowing movement of said continuous loop
member from a first one of said selectable positions to a second one of said selectable
positions.

Appl. No. 10/050,520
Amdt. dated Sept. 30, 2004
Reply to Office Action of Sept. 17, 2004

73. (currently amended): A device as in claim 72 wherein said loop member ~~defines a structural area for engagement~~ is included in a first portion and said label member is included in a second portion of a common deformable sheet.
74. (currently amended): A device as in claim 72 and further comprising a band support member détente.
75. (currently amended): A device as in claim 72 and further comprising a band support member, ~~said band support member having means for attachment~~ including means for attaching said label member to said container.
76. (currently amended): A device as in claim 72 ~~and further comprising a band support member, said band support member defining a structural area adapted to receive engagement therewith~~ said loop member 73 wherein said loop member portion is releasable from said common sheet.
77. (previously presented): A device as in claim 72 and further including co-operating indicia.
78. (currently amended): A device as in claim 72 ~~and further including 77 wherein said co-operating indicia which include an arrangement of times co-operating with a pointer adapted to point to any one of said times.~~
79. (currently amended): A device as in claim 72 ~~wherein indicia may be further inscribed 77 wherein said indicia can further be customized.~~
80. (currently amended): A device as in claim 72 ~~further comprising a band support member adhesively attached to said container and further including an adhesive.~~
81. (currently amended): A device as in claim 72 ~~wherein said loop member further has gripping means to aid grasping said loop for displacement wherein said container is a pharmacy container.~~
82. (currently amended): A device as in claim 72 ~~and further comprising a band support member, said band support member having anti-displacement means for limiting displacement of said loop member~~ wherein said label is a pharmacy label.
83. (previously presented): A device as in claim 72 and further including a prescription label.